

DOMAIN	FORM NAME	FORM CODE	MAPP PHASE I	MAPP PHASE II
Screening and Enrollment				
<i>Screening Eligibility And Enrollment Procedures</i>	Pre-screening	(REPORTS Generated	Used for MAPP I	Used for MAPP II
	Demographics	DEMO	Used for MAPP I	Used for MAPP II
	Eligibility	ELIG / ELIG2	Used for MAPP I	Used for MAPP II
	Neuroimaging Study Eligibility	ELIG_SCAN2	Used for MAPP I	Used for MAPP II
	Urine Culture Result	UCR	Used for MAPP I	Used for MAPP II
	Dipstick Urinalysis Result	UAR	Used for MAPP I	Used for MAPP II
	Enrollment	ENROLL	Used for MAPP I	Used for MAPP II
Urologic CRFs - Females and Males				
<i>Symptoms</i>	Symptom, Healthcare Utilization, And Flare Status Questionnaire	SYM-Q for Screening, Run-In, Baseline, Follow-Up, & ATLAS Contacts	Used for MAPP I SYM-Q Q.#s 2, 3, 4; urgency, frequency, 24-hour void Q.s used in Phase I only.	Used for MAPP II Flare Q.s added to SYM-Q for Phase II
	Brief Flare Status Questionnaire	FLARE, NON-FLARE	Used for MAPP I FLARE Q.s asked during Sx. flares and randomly when no flares reported.	NOT Used for MAPP II Flare Q.s are asked via SYM-Q
	Global Response Assessment	GRA GRA_ATLAS	NOT Used for MAPP I	Used for MAPP II
	Interstitial Cystitis Symptom Index Interstitial Cystitis Problem Index	ICINDEX for Screening, Run-In, Follow-up, & ATLAS Contacts	Used for MAPP I	Used for MAPP II
	AUA Symptom Index	AUASI	Used for MAPP I	Used for MAPP II
	RICE Case Definition Questionnaire	RICE for Screening, Run-In, Follow-up, & ATLAS Contacts	Used for MAPP I at Baseline only	Used for MAPP II at all contacts
	RICE Bladder Symptom Impact	BSI	NOT Used for MAPP I	Used for MAPP II
<i>Medical History</i>	Medical History	MEDHX2	Used for MAPP I	Used for MAPP II
	Early In Life Infection History	EIL-INF	Used for MAPP I	Used for MAPP II
	Family Medical History	FAMHX	Used for MAPP I	Used for MAPP II
<i>Treatment</i>	Concomitant Medications	CMED/CMED2	Used for MAPP I	Used for MAPP II
	Antibiotics Treatment History	ABHX	NOT Used for MAPP I	Used for MAPP II
	Pelvic Therapy History	PTHX	NOT Used for MAPP I	Used for MAPP II to support ATLAS
	Cystoscopy History	CYSTO	NOT Used for MAPP I	Used for MAPP II
<i>Physical Exam</i>	Physical Exam	EXAM2	Used for MAPP I	Used for MAPP II
	Pelvic Exam	PEX_Female/Male	NOT Used for MAPP I	Used for MAPP II
	Brief Clinical Diagnostics for Baseline & Follow-up	CDX	NOT Used for MAPP I	Used for MAPP II
<i>Study Stop/ Withdrawal</i>	Study Stop	SSTOP	Used for MAPP I	Used for MAPP II
	Consent Withdrawal	CONWITHDR	Used for MAPP I	Used for MAPP II
	Reinstatement of Consent	RECON	Used for MAPP I	Used for MAPP II

DOMAIN	FORM NAME	FORM CODE	MAPP PHASE I	MAPP PHASE II
Urologic CRFs - Females only				
Symptoms	Female Genitourinary Pain Index	FGUPI	Used for MAPP I	Used for MAPP II
Sexual Function	Female Sexual Function Index	FSFI	Used for MAPP I	Used for MAPP II
	Female Self-Esteem & Relationship Questionnaire	FSEAR	Used for MAPP I	Used for MAPP II
Urologic CRFs - Males only				
Symptoms	Male Genitourinary Pain Index	MGUPI	Used for MAPP I	Used for MAPP II
Sexual Function	International Index of Erectile Function	IIEF	Used for MAPP I	Used for MAPP II
	U. Washington Ejaculatory Function Scale	EFS	Used for MAPP I	Used for MAPP II
	Male Self-Esteem & Relationship Questionnaire	MSEAR	Used for MAPP I	Used for MAPP II
Non-Urologic CRFs				
Symptoms				
Pain	BPI (Body Map, Intensity, Interference)	BPI2_Male/Female	Used for MAPP I	Used for MAPP II Including CHOIR body map
	PAIN Detect	PAIN	NOT Used for MAPP I	Used for MAPP II
	McGill Pain Questionnaire	MPQ	Used for MAPP I Neuroimaging only	Used for MAPP II Deep Phenotyping visits
	Gracely Box Scales	GBS	Used for MAPP I Neuroimaging only	Used for MAPP II Deep Phenotyping visits
Physical Function	WHO Disability Assessment Schedule	WHO-DAS	NOT Used for MAPP	Used for MAPP II
	SF-12 (Replaced by WHO-DAS?)	SF-12	Used for MAPP I	Used for MAPP II
	International Physical Activity Questionnaire	IPAQ	NOT Used for MAPP I	Used for MAPP II
	Work Productivity & Activity Impairment Questionnaire	WPAI	NOT Used for MAPP I	Used for MAPP II
Mood	PANAS	PANAS	Used for MAPP I	Used for MAPP II
	Hospital Anxiety and Depression Scale	HADS	Used for MAPP I	Used for MAPP II
Cognition	Multiple Ability Self-Report Questionnaire	MASQ	Used for MAPP I	Used for MAPP II
Fatigue	PROMIS - Fatigue - Short Form	FATIGUE	Used for MAPP I	Used for MAPP II
Sleep	PROMIS - Sleep - Short Form	SLEEP	Used for MAPP I	Used for MAPP II
Anger	PROMIS - Anger - Short Form	ANGER	Used for MAPP I	Not used for MAPP II
Stress	Perceived Stress Scale	PSS	Used for MAPP I	Used for MAPP II
Trait-like Personal Factors				
Personality	Ten-Item Personality Inventory	TIPI	NOT Used for MAPP I	Used for MAPP II
	IPIP	IPIP	Used for MAPP I	NOT used for MAPP II
	Beliefs in Pain Questionnaire	BPCQ	Used for MAPP I	NOT used for MAPP II
Catastrophizing	Thoughts About Symptoms	CSQ	Used for MAPP I	Used for MAPP II
Trauma History	Childhood/Recent Traumatic Events Scale	CTES RTES	Used for MAPP I CTES/RTES asked at Baseline only for Phase	Used for MAPP II RTES implemented for MAPP II Follow-up

DOMAIN	FORM NAME	FORM CODE	MAPP PHASE I	MAPP PHASE II
Non-Urologic CRFs				
Co-morbid Diagnostics				
Symptom Test	Complex Medical Symptoms Inventory	CMSI/CMSI2	Used for MAPP I	Used for MAPP II
Syndrome	Fibromyalgia	CMSI2-FM2	Used for MAPP I	Used for MAPP II
Modules	Tender Point Exam (*Optional)	CMSI2-FM2TP	Used for MAPP I	Used for MAPP II
	Chronic Fatigue	CMSI2-CFS2	Used for MAPP I	Used for MAPP II
	Irritable Bowel Syndrome	CMSI2-IBS2	Used for MAPP I	Used for MAPP II
	Vulvodynia	CMSI2-VDYN2	Used for MAPP I	Used for MAPP II
	Migraine	CMSI2-MI2	Used for MAPP I	Used for MAPP II
	Temporomandibular Joint Disorder	CMSI2-TMD2	Used for MAPP I	Used for MAPP II
	Gonzalez TMJD Questionnaire	TMSDI	NOT Used for MAPP I	Used for MAPP II
Specimens and Procedures				
Plasma and	Plasma Specimen Tracking	PTRAC/PTRAC2	Used for MAPP I	Used for MAPP II
DNA	Cheek Swab Specimen Tracking	CTRAC	Used for MAPP I	NOT used for MAPP II
Plasma	STIM Tubes Specimen	STIMTR2	NOT Used for MAPP I	Used for MAPP II
Urine	Urine Specimen Tracking	UTRAC/UTRAC2	Used for MAPP I	Used for MAPP II
	Microbiome Universal Urine Specimen Tracking (VB2)	UUMBTRAC	NOT Used for MAPP I	Used for MAPP II
	Microbiome Urine Specimen Tracking (Female/Male)	UF/MMBTRAC UF/MIETRAC	Used for MAPP I	Used for MAPP II
	FLARE and NON_FLARE Home Collection Kits	1 st /2 nd Home FTRAC 1 st /2 nd Home NFTRAC	Used for MAPP I	NOT used for MAPP II
Rectal & Vaginal	Rectal Swab Specimen Tracking	RSTRAC2	NOT Used for MAPP I	Used for MAPP II
Swabs	Vaginal Swab Specimen Tracking	VSTRAC2	NOT Used for MAPP I	Used for MAPP II
Saliva	Home Saliva Collection, 3 day	S3TRAC2	NOT Used for MAPP I	Used for MAPP II
Home Spec. Coll. Replacements	Replacement Home Specimen Collection	REPLACE	Used for MAPP I	NOT used for MAPP II
ATLAS Treatment Module				
ATLAS Module Initiation		ATLAS-INIT	NOT Used for MAPP I	Used for MAPP II
ATLAS Module Stop		ATLAS-STOP	NOT Used for MAPP I	Used for MAPP II
Neuroimaging Procedures				
Neuroimaging Day of Scan MRI Screening Procedures (Administrative)		MR_SCREEN	Used for MAPP I	Used for MAPP II
Neuroimaging Day of Scan Data and Procedures Status Confirmation		NEURO_SCAN/ NEURO_SCAN2	Used for MAPP I	Used for MAPP II
Neuroimaging Data Collection CRF		NEURO_CRF	NOT Used for MAPP I	Used for MAPP II
Quantitative Sensory Testing Procedures				
Quantitative Sensory Testing Screening		QST Screen	NOT Used for MAPP I	Used for MAPP II
Quantitative Sensory Testing Procedures		QST	NOT Used for MAPP I	Used for MAPP II
Pain Pressure Threshold Test		PPT	Used for MAPP I	NOT used for MAPP II
Procedural, Unanticipated Problems Documentation				
Procedural or Unanticipated Problems		PUP	Used for MAPP I	Used for MAPP II